Occupational Health and Safety Program Manual Section 13 Page 1

## 13.2.8 Office Inspection

Item to be Inspected	Safe	Unsafe	Action
Are floor surfaces clean, dry and fee from			
debris?			
Are carpets well secured and free from worn or			
frayed spots?			
Are aisles and doorways free of objects to			
permit unobstructed visibility and/or exit?			
Are file cabinet and storage closets places so			
drawers and doors do not open into aisles?			
Are acoustic covers in place over noisy			
equipment?			
Are emergency exits marked and free from			
obstructions?			
Are there regular fire evacuation practices?			
Are glass doors clearly identified?			
Electrical		1	
Are power bars connected directly to main			
receptacle?			
Are all electrical equipment grounded and CSA			
approved?			
Are phone lines, electrical cords and extension			
cords secured under desks or along baseboards?			
Do all 3 wire plugs have the ground pin			
securely in place?			
Are raised floor receptacles located in non-			
traffic areas?			
Ergonomic			
Are keyboards and monitors placed directly in			
front of the operator?			
Are keyboard trays adjustable?			
Are secretarial chairs adjustable, both in height			
and back, and on 5-point rolling castors?			
Do chairs have sturdy rungs and legs?			
Materials		1	
Are heavy items, e.g. paper, stored on lower and			
middle shelves of storage cabinets?			

Preparation Date: December 4, 2000

**Revision Date:** May 18, 2007

## SOUTH SHORE REGIONAL SCHOOL BOARD

Occupational Health and Safety Program Manual Section 13 Page 2

Item to be Inspected	Safe	Unsafe	Action
Is there a stepstool or ladder available to reach			
top shelves?			
Are all chemicals labeled, e.g. photocopying			
toner, etc.?			
Are MSDS available for the products?			
Are gloves available for use with the			
chemicals?			
Equipment			
Is regular maintenance provided for the			
photocopier, printer, etc? Are records kept?			
Do paper cutters have guards in place and is the			
torsion spring adjusted to hold blade up when			
released?			
Emergency System			
Is office staff familiar with emergency			
procedures and reporting of accidents?			
Are fire extinguishers available? Are the			
inspection tags attached with date of yearly			
inspection noted?			
Are first Aid boxes (stations) available and a list			
of qualified first aiders attached with their			
locations?			
Are gloves available for administering First Aid			
and handling chemicals?			

Preparation Date: <u>December 4, 2000</u> Revision Date: <u>May 18, 2007</u>